


This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) Compounds of the formula I



in which

- D denotes a mono- or bicyclic aromatic carbo- or heterocycle having 0 to 4 N, O and/or S atoms which is unsubstituted or mono- or polysubstituted by Hal, A, OR², N(R²)₂, NO₂, CN, COOR², CON(R²)₂ or -C≡CH,
- X denotes NR³ or O,
- Y denotes O, S, NH, N-CN or N-NO₂,
- R¹ denotes H, Ar, Het, cycloalkyl or A, which may be mono-, di- or trisubstituted by OR², SR², S(O)_mR², SO₂N(R²)₂, SO₃R², S(=O)(=NR²)R², NR²SO₂R², OSO₂R², OSO₂N(R²)₂, N(R²)₂, CN, COOR², CON(R²)₂, Ar, Het or cycloalkyl,
- E denotes CH or N,
- Z is absent or denotes a (CH₂)_q group, in which one or two CH₂ groups may be replaced by N, O and/or S atoms and/or by a -CH=CH- group and which is unsubstituted or monosubstituted by carbonyl oxygen (=O),
- Z' is absent or denotes a (CH₂)_{q'} group, in which one or two CH₂ groups may be replaced by N, O and/or S atoms and/or by a -CH=CH- group and which is unsubstituted or monosubstituted by carbonyl oxygen (=O),

Q	is absent or denotes O, NR^2 , $\text{C}=\text{O}$, SO_2 or $\text{C}(\text{R}^2)_n$,
R^2	denotes H, A, $-\text{C}(\text{R}^3)_2]_n\text{-Ar}'$, $-\text{C}(\text{R}^3)_2]_n\text{-Het}'$, $-\text{C}(\text{R}^3)_2]_n\text{-cycloalkyl}$, $-\text{C}(\text{R}^3)_2]_n\text{-N}(\text{R}^3)_2$ or $-\text{C}(\text{R}^3)_2]_n\text{-OR}^3$,
R^3	denotes H or A,
$\text{R}^4, \text{R}^{4'}$	each, independently of one another, is absent or denote A, OH or OA,
R^4 and $\text{R}^{4'}$	together also denote methylene or ethylene,
T	denotes a mono- or bicyclic saturated, unsaturated or aromatic carbo- or heterocycle having 0 to 4 N, O and/or S atoms, which may be mono-, di- or trisubstituted by $=\text{O}$, $=\text{S}$, $=\text{NH}$, $=\text{NR}^3$, $=\text{NOR}^3$, $=\text{NCOR}^3$, $=\text{NCOOR}^3$, $=\text{NOCOR}^3$, R^3 , Hal, A, $-\text{C}(\text{R}^3)_2]_n\text{-Ar}$, $-\text{C}(\text{R}^3)_2]_n\text{-Het}$, $-\text{C}(\text{R}^3)_2]_n\text{-cycloalkyl}$, OR^3 , $\text{N}(\text{R}^3)_2$, NO_2 , CN, COOR^3 , $\text{CON}(\text{R}^3)_2$, NR^3COA , $\text{NR}^3\text{CON}(\text{R}^3)_2$, $\text{NR}^3\text{SO}_2\text{A}$, COR^3 , SO_2NR^2 and/or $\text{S}(\text{O})_n\text{A}$,
A	denotes unbranched or branched alkyl having 1-10 C atoms, in which one or two CH_2 groups may be replaced by O or S atoms and/or by $-\text{CH}=\text{CH}-$ groups and/or also 1-7 H atoms may be replaced by F,
Ar	denotes phenyl, naphthyl or biphenyl, each of which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR^2 , $\text{N}(\text{R}^2)_2$, NO_2 , CN, COOR^2 , $\text{CON}(\text{R}^2)_2$, NR^2COA , $\text{NR}^2\text{SO}_2\text{A}$, COR^2 , $\text{SO}_2\text{N}(\text{R}^2)_2$, $-\text{C}(\text{R}^3)_2]_n\text{-COOR}^2$, $-\text{O}-\text{C}(\text{R}^3)_2]_o\text{-COOR}^2$, SO_3H or $\text{S}(\text{O})_n\text{A}$,
Ar'	denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR^3 , $\text{N}(\text{R}^3)_2$, NO_2 , CN, COOR^3 , $\text{CON}(\text{R}^3)_2$, NR^3COA , $\text{NR}^3\text{CON}(\text{R}^3)_2$, $\text{NR}^3\text{SO}_2\text{A}$, COR^3 , $\text{SO}_2\text{N}(\text{R}^3)_2$, $\text{S}(\text{O})_n\text{A}$, $-\text{C}(\text{R}^3)_2]_n\text{-COOR}^3$ or $-\text{O}-\text{C}(\text{R}^3)_2]_o\text{-COOR}^3$,
Het	denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by carbonyl oxygen ($=\text{O}$), $=\text{S}$, $=\text{N}(\text{R}^2)_2$, Hal, A, $-\text{C}(\text{R}^3)_2]_n\text{-Ar}$, $-\text{C}(\text{R}^3)_2]_n\text{-Het}'$, $-\text{C}(\text{R}^3)_2]_n\text{-cycloalkyl}$, $-\text{C}(\text{R}^3)_2]_n\text{-OR}^2$, $-\text{C}(\text{R}^3)_2]_n\text{-N}(\text{R}^3)_2$, NO_2 , CN,

-[C(R³)₂]_n-COOR², -[C(R³)₂]_n-CON(R²)₂, -[C(R³)₂]_n-NR²COA, NR²CON(R²)₂, -[C(R³)₂]_n-NR²SO₂A, COR², SO₂N(R²)₂ and/or S(O)_nA,

Het' denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by carbonyl oxygen, =S, =N(R³)₂, Hal, A, OR³, N(R³)₂, NO₂, CN, COOR³, CON(R³)₂, NR³COA, NR³CON(R³)₂, NR³SO₂A, COR³, SO₂N(R³)₂ and/or S(O)_nA,

Hal denotes F, Cl, Br or I,

m denotes 1 or 2,

n denotes 0, 1 or 2,

o denotes 1, 2 or 3,

p denotes 1, 2, 3, 4 or 5,

q, q' each, independently of one another, denote 0, 1, 2, 3 or 4,

where

at least one of the groups Z or Z' is present, and

0 < q + q' ≤ 6,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

2. (Original) Compounds according to Claim 1 in which

D denotes phenyl which is unsubstituted or mono- or disubstituted by Hal, A, OR² or COOR², or pyridyl which is unsubstituted or monosubstituted by Hal,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

3. (Currently Amended) Compounds according to Claim 1 or 2 in which

D denotes phenyl which is monosubstituted by Hal,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

4. (Currently Amended) Compounds according to ~~one or more of Claims 1-3~~
Claim 1 in which

R^2 denotes H or A,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

5. (Currently Amended) Compounds according to ~~one or more of Claims 1-4~~
Claim 1 in which

T denotes a mono- or bicyclic saturated, unsaturated or aromatic
heterocycle having 1 to 2 N, O and/or S atoms, which may be
unsubstituted or mono- or disubstituted by A or carbonyl oxygen
(=O),

phenyl which is unsubstituted or mono-, di- or trisubstituted by
Hal, OR^2 or NR^2COA ,

or a monocyclic unsubstituted, saturated carbocycle,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

6. (Currently Amended) Compounds according to ~~one or more of Claims 1-5~~
Claim 1 in which

Q is absent or denotes O or CH_2 ,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

7. (Currently Amended) Compounds according to ~~one or more of Claims 1-6~~
Claim 1 in which

Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR², NR²COA, SO₂A, SO₂NH₂, COOR² or CN,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

8. (Currently Amended) Compounds according to ~~one or more of Claims 1-7~~
Claim 1 in which

Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR³ or NR³COA,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

9. (Currently Amended) Compounds according to ~~one or more of Claims 1-8~~
Claim 1 in which

R¹ denotes Ar, Het, cycloalkyl or

A, which may be monosubstituted by OR²,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

10. (Currently Amended) Compounds according to ~~one or more of Claims 1-9~~
Claim 1 in which

R¹ denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA,

a monocyclic aromatic heterocycle having 1 to 2 N, O and/or S atoms,

or

A, which may be monosubstituted by OR³,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

11. (Currently Amended) Compounds according to ~~one or more of Claims 1-10~~
Claim 1 in which
Het denotes a mono- or bicyclic saturated, unsaturated or aromatic
heterocycle having 1 to 2 N, O and/or S atoms, which may be
unsubstituted or mono- or disubstituted by A or carbonyl oxygen
(=O),
and pharmaceutically usable derivatives, solvates, salts and stereoisomers
thereof, including mixtures thereof in all ratios.
12. (Currently Amended) Compounds according to ~~one or more of Claims 1-11~~
Claim 1 in which
Y denotes O,
and pharmaceutically usable derivatives, solvates, salts and stereoisomers
thereof, including mixtures thereof in all ratios.
13. (Currently Amended) Compounds according to ~~one or more of Claims 1-12~~
Claim 1 in which
X denotes $\text{NR}^{3'}$ or O,
 $\text{R}^{3'}$ denotes H,
and pharmaceutically usable derivatives, solvates, salts and stereoisomers
thereof, including mixtures thereof in all ratios.
14. (Currently Amended) Compounds according to ~~one or more of Claims 1-13~~
Claim 1 in which
Z, Z' denote ethylene,
and pharmaceutically usable derivatives, solvates, salts and stereoisomers
thereof, including mixtures thereof in all ratios.
15. (Currently Amended) Compounds according to ~~one or more of Claims 1-14~~
Claim 1 in which
T denotes a monocyclic saturated or aromatic heterocycle having 1 to

2 N and/or O atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O),
 phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, OA or NHCOA,
 or a monocyclic unsubstituted, saturated carbocycle,
 and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

16. (Currently Amended) Compounds according to ~~one or more of Claims 1-15~~
Claim 1 in which

A denotes unbranched or branched alkyl having 1-10 C atoms, in which
 1-7 H atoms may be replaced by F,
 and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

17. (Currently Amended) Compounds according to ~~one or more of Claims 1-16~~
Claim 1 in which

D denotes phenyl which is unsubstituted or mono- or disubstituted by Hal, A, OR² or COOR², or pyridyl which is unsubstituted or monosubstituted by Hal,
 X denotes NR³ or O,
 Y denotes O,
 R¹ denotes Ar, Het, cycloalkyl or A, which may be monosubstituted by OR²,
 E denotes CH or N,
 Z, Z' denote ethylene,
 Q is absent or denotes O or CH₂,
 R² denotes H or A,
 R³ denotes H or A,
 R⁴, R^{4'} each, independently of one another, is absent or denote A, OH or OA,

R⁴ and R^{4'} together also denote methylene or ethylene,

T denotes a monocyclic saturated or aromatic heterocycle having 1 to 2 N and/or O atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O), phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, OA or NHCOA, or a monocyclic unsubstituted, saturated carbocycle,

A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F,

Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR², NR²COA, SO₂A, SO₂NH₂, COOR² or CN,

Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 2 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O),

Hal denotes F, Cl, Br or I,

p denotes 1, 2, 3, 4 or 5,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

18. (Currently Amended) Compounds according to ~~one or more of Claims 1-17~~
Claim 1 in which

D denotes phenyl which is monosubstituted by Hal,

X denotes NR^{3'} or O,

Y denotes O,

R¹ denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA, a monocyclic aromatic heterocycle having 1 to 2 N, O and/or S atoms, or A, which may be monosubstituted by OR³,

$R^{3'}$ denotes H,
 E denotes CH or N,
 Z, Z' denote ethylene,
 Q is absent or denotes O or CH₂,
 R^2 denotes H or A,
 R^3 denotes H or A,
 R^4 , $R^{4'}$ each, independently of one another, is absent or denote A, OH or OA,
 R^4 and $R^{4'}$ together also denote methylene or ethylene,
 T denotes a monocyclic saturated or aromatic heterocycle having 1 to 2 N and/or O atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O), phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, OA or NHCOA, or a monocyclic unsubstituted, saturated carbocycle,
 A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F,
 Hal denotes F, Cl, Br or I,
 and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

19. (Currently Amended) Compounds according to ~~one or more of Claims 1-18~~
Claim 1 in which

D denotes phenyl which is monosubstituted by Hal,
 X denotes $NR^{3'}$ or O,
 Y denotes O,
 R^1 denotes thienyl, furyl, phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA,
 or
 A, which may be monosubstituted by OR^3 ,
 R^3 denotes H or A,

$R^{3'}$ denotes H,
 E denotes CH or N,
 Z, Z' denote ethylene,
 Q is absent or denotes O or CH₂,
 R^2 denotes H or A,
 R^3 denotes H or A,
 $R^4, R^{4'}$ each, independently of one another, is absent or denote A, OH or OA,
 R^4 and $R^{4'}$ together also denote methylene or ethylene,
 T denotes piperidinyl, piperazinyl, pyridinyl, 2-oxopiperidin-1-yl, 2-oxopiperidin-4-yl, 2-oxopyrrolidin-1-yl, pyrrolidin-1-yl, 2-oxo-1*H*-pyridin-1-yl, 3-oxomorpholin-4-yl, morpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2,6-dioxopiperidin-1-yl, 2-oxo-piperazin-1-yl, 2,6-dioxopiperazin-1-yl, 2,5-dioxopyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, pyridazinyl, 3-oxo-2*H*-pyridazin-2-yl, 2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 6-oxopiperazin-1-yl, 2-azabicyclo[2.2.2]octan-3-on-2-yl, 5,6-dihydro-1*H*-pyrimidin-2-oxo-1-yl, 2-oxo-1,3-oxazinan-3-yl or 4*H*-1,4-oxazin-4-yl, where the radicals may additionally be monosubstituted by A, phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, OA or NHCOA, or a monocyclic unsubstituted, saturated carbocycle,
 A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F,
 Hal denotes F, Cl, Br or I,
 and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

20. (Currently Amended) Compounds according to ~~one or more of Claims 1-19~~
Claim 1 in which

D denotes phenyl which is monosubstituted by Hal,

X denotes NR^{3'} or O,
 Y denotes O,
 R¹ denotes thienyl, furyl, phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA,
 or
 A, which may be monosubstituted by OR³,
 R³ denotes H or A,
 R^{3'} denotes H,
 E denotes CH or N,
 Z denotes ethylene,
 Z' denotes ethylene,
 Q is absent or denotes O or CH₂,
 R² denotes H or A,
 R³ denotes H or A,
 R⁴, R^{4'} is absent,
 R⁴ and R^{4'} together also denote methylene or ethylene,
 T denotes piperidin-1- or 4-yl, piperazinyl, morpholin-4-yl,
 each of which is unsubstituted or monosubstituted by A and/or carbonyl oxygen (=O),
 or unsubstituted cyclohexyl,
 A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F,
 Hal denotes F, Cl, Br or I,
 and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

21. (Original) Compounds according to Claim 1

(R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidiny1-1-yl)-2-oxo-1-phenylethyl]urea,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4-fluorophenyl)piperazin-1-yl]-2-oxo-1-phenylethyl}urea,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4-fluorophenoxy)piperidin-1-yl]-2-oxo-1-phenylethyl}urea ,

(R)-1-(4-chlorophenyl)-3-[2-oxo-1-phenyl-2-(4-pyridin-4-yl)piperazin-1-yl]ethyl]urea bistrifluoroacetate,

(R)-1-(4-chlorophenyl)-3-{2-[4-(1-methylpiperidin-4-yl)piperazin-1-yl]-2-oxo-1-phenylethyl}urea bistrifluoroacetate,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4-ethylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl}urea bistrifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-oxo-1-phenyl-2-(4-pyridin-3-ylmethylpiperazin-1-yl)ethyl]urea bistrifluoroacetate,

(R,R)-1-(4-chlorophenyl)-3-{2-methoxy-1-[1-(4-pyridin-4-yl)piperazin-1-yl]methanoyl]propyl}urea bistrifluoroacetate,

(R,R)-1-(4-chlorophenyl)-3-(2-methoxy-1-{1-[4-(1-methylpiperidin-4-yl)piperazin-1-yl]methanoyl}propyl)urea bistrifluoroacetate,

(R,R)-1-(4-chlorophenyl)-3-{2-methoxy-1-[1-(1'-methyl-4,4'-bipiperidinyl-1-yl)methanoyl]propyl}urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-oxo-1-phenyl-2-(4-pyridin-4-yl)piperazin-1-yl]ethyl]urea,

(R)-1-(4-chlorophenyl)-3-[1-(4-pyridin-4-yl)piperazine-1-carbonyl]butyl]urea,

(R)-1-(4-chlorophenyl)-3-{2-[4-hydroxy-4-(4-methoxyphenyl)piperidin-1-yl]-2-oxo-1-phenylethyl}urea,

(R)-1-(4-chlorophenyl)-3-{2-[4-(2-methoxyphenyl)piperazin-1-yl]-2-oxo-1-phenylethyl}urea,

(R)-N-[4-(1-{2-[3-(4-chlorophenyl)ureido]-2-phenylethanoyl}piperidin-4-ylmethyl)phenyl]acetamide,

(R)-1-(4-chlorophenyl)-3-{2-oxo-1-phenyl-2-[4-(1-phenylmethanoyl)piperidin-1-yl]ethyl}urea,

(R)-1-(4-chlorophenyl)-3-[2-oxo-1-phenyl-2-(4-pyridin-2-ylpiperazin-1-yl)ethyl]urea,

(R)-1-[2-(4-benzylpiperazin-1-yl)-2-oxo-1-phenylethyl]-3-(4-chlorophenyl)urea,

(R)-1-(4-chlorophenyl)-3-{2-[5-(4-fluorophenyl)-2,5-diazabicyclo[2.2.1]hept-2-yl]-2-oxo-1-phenylethyl}urea,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4,6-dimethylpyrimidin-2-yl)piperazin-1-yl]-2-oxo-1-phenylethyl}urea,

(R,S)-1-[2-(3-benzylpiperidin-1-yl)-2-oxo-1-phenylethyl]-3-(4-chlorophenyl)urea,

(S,S)-1-(4-chlorophenyl)-3-{2-hydroxy-1-[1-(4-pyridin-4-ylpiperazin-1-yl)methanoyl]propyl}urea,

(S,S)-1-(4-chlorophenyl)-3-(2-hydroxy-1-{1-[4-(1-methylpiperidin-4-yl)piperazin-1-yl]methanoyl}propyl)urea,

(R,R)-1-(4-chlorophenyl)-3-{2-methoxy-1-[1-(4-pyridin-3-ylmethylpiperazin-1-yl)methanoyl]propyl}urea bistrifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-oxo-1-phenyl-2-(4-pyridin-4-ylpiperazin-1-yl)ethyl]urea bistrifluoroacetate,

(R,R)-1-(4-chlorophenyl)-3-(1-{1-[4-(4-ethylpiperazin-1-yl)piperidin-1-yl]methanoyl}-2-methoxypropyl)urea bistrifluoroacetate,

(R)-1-(4-chlorophenyl)-3-{2-[4-(1-methylpiperidin-4-yl)piperazin-1-yl]-2-oxo-1-phenylethyl}urea bistrifluoroacetate,

(R)-1-(2-4,4'-bipiperidiny-1-yl-2-oxo-1-phenylethyl)-3-(4-chlorophenyl)urea hydrochloride,

(R)-1-[2-4,4'-bipiperidiny-1-yl-1-(4-hydroxyphenyl)-2-oxoethyl]-3-(4-chlorophenyl)urea hydrochloride,

(R)-1-(2-4,4'-bipiperidiny-1-yl-2-oxo-1-thiophen-2-ylethyl)-3-(4-chlorophenyl)urea hydrochloride,

(R)-1-(4-chlorophenyl)-3-[1-(4-hydroxyphenyl)-2-(1'-methyl-4,4'-bipiperidiny-1-yl)-2-oxoethyl]urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidiny-1-yl)-2-oxo-1-thiophen-2-ylethyl]urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[1-(4-hydroxyphenyl)-2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxoethyl]urea trifluoroacetate,

1-[2-[1,4']bipiperidiny-1'-yl-1-(4-hydroxyphenyl)-2-oxoethyl]-3-(4-chlorophenyl)urea,

(R)-1-(4-chlorophenyl)-3-[2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-phenylethyl]urea trifluoroacetate,

(R)-1-(2-[1,4']bipiperidiny-1'-yl-2-oxo-1-phenylethyl)-3-(4-chlorophenyl)urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-(4-cyclohexylpiperazin-1-yl)-1-(4-hydroxyphenyl)-2-oxoethyl]urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-(4-cyclohexylpiperazin-1-yl)-2-oxo-1-phenylethyl]urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-{1-(4-hydroxyphenyl)-2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxoethyl}urea bistrifluoroacetate,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl}urea bistrifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-thiophen-2-ylethyl]urea trifluoroacetate,

(R)-1-(2-[1,4']bipiperidiny-1'-yl-2-oxo-1-thiophen-2-ylethyl)-3-(4-chlorophenyl)urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-(4-cyclohexylpiperazin-1-yl)-2-oxo-1-thiophen-2-ylethyl]urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-thiophen-2-ylethyl}urea bistrifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidiny-1-yl)-2-oxo-1-(2-chlorophenyl)ethyl]urea,

(R)-1-(4-chlorophenyl)-3-[2-(4,4'-bipiperidiny-1-yl)-2-oxo-1-(2-chlorophenyl)ethyl]urea,

(R)-1-(4-chlorophenyl)-3-[1-(2-chlorophenyl)-2-(1'-methyl-2'-oxo-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea,

(R)-1-(4-chlorophenyl)-3-[1-phenyl-2-(1'-methyl-2'-oxo-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea,

2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate,

2-oxo-1-phenyl-2-(4-pyridin-4-ylpiperazin-1-yl)ethyl (R)-(4-chlorophenyl)carbamate,

2-4,4'-bipiperidinyl-1-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate hydrochloride,

2-4,4'-bipiperidinyl-1-yl-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate hydrochloride,

1-(2-chlorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,

1-(2-chlorophenyl)-2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,

2-[1,4']bipiperidinyl-1'-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,

2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,

2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,

1-(2-chlorophenyl)-2-(4-cyclohexylpiperazin-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,

2-(4-cyclohexylpiperazin-1-yl)-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,

1-(2-chlorophenyl)-2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxoethyl (R)-(4-chlorophenyl)carbamate bistrifluoroacetate,

2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate bistrifluoroacetate,

1-(2,3-difluorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl
(R)-(4-chlorophenyl)carbamate,

1-(2-fluorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-
(4-chlorophenyl)carbamate,

1-(2-methoxyphenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl
(R)-(4-chlorophenyl)carbamate,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

22. (Currently Amended) Process for the preparation of compounds of the formula I according to ~~Claims 1-21~~ Claim 1 and pharmaceutically usable derivatives, solvates and stereoisomers thereof, characterised in that


a) for the preparation of compounds of the formula I

in which

X denotes NH and

Y denotes O,


a compound of the formula II



in which

R¹, R⁴, R^{4'}, E, Q, T, Z and Z' have the meanings indicated in Claim 1,

is reacted with a compound of the formula III



III

in which


D has the meaning indicated in Claim 1,

or

b) for the preparation of compounds of the formula I


in which

X and Y denote O, a compound of the formula IV



in which W, Y and T have the meaning indicated in Claim 1,

is reacted with a compound of the formula V



in which

X and Y denote O,

L denotes Cl, Br, I or a free or reactively functionally modified OH group and

R¹ and D have the meanings indicated in Claim 1,

and/or a base or acid of the formula I is converted into one of its salts.

23. (Currently Amended) Compounds of the formula I according to ~~one or more of Claims 1 to 21~~ Claim 1 as inhibitors of coagulation factor Xa.

24. (Currently Amended) Compounds of the formula I according to ~~one or more of Claims 1 to 21~~ Claim 1 as inhibitors of coagulation factor VIIa.
25. (Currently Amended) Medicaments comprising at least one compound of the formula I according to ~~one or more of Claims 1 to 21~~ Claim 1 and/or pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios, and optionally excipients and/or adjuvants.
26. (Currently Amended) Medicaments comprising at least one compound of the formula I according to ~~one or more of Claims 1 to 21~~ Claim 1 and/or pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios, and at least one further medicament active ingredient.
27. (Currently Amended) Use of compounds according to ~~one or more of Claims 1 to 21~~ Claim 1 and/or physiologically acceptable salts and solvates thereof for the preparation of a medicament for the treatment of thromboses, myocardial infarction, arteriosclerosis, inflammation, apoplexy, angina pectoris, restenosis after angioplasty, claudicatio intermittens, migraine, tumours, tumour diseases and/or tumour metastases.
28. (Currently Amended) Set (kit) consisting of separate packs of
- (a) an effective amount of a compound of the formula I according to ~~one or more of Claims 1 to 21~~ Claim 1 and/or pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios, and
 - (b) an effective amount of a further medicament active ingredient.
29. (Currently Amended) Use of compounds of the formula I according to ~~one or more of Claims 1 to 21~~ Claim 1 and/or pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios,

for the preparation of a medicament for the treatment of thromboses,
myocardial infarction, arteriosclerosis, inflammation, apoplexy, angina
pectoris, restenosis after angioplasty, claudicatio intermittens, migraine,
tumours, tumour diseases and/or tumour metastases,
in combination with at least one further medicament active ingredient.